



Quality
Promotes
Value

- Market-leading Performance
- Durable & Comfortable Design
- Unrivalled Support



GeM
Government
e Marketplace

buy us products on geM portal



ABOUT

THE COMPANY

"Spreading blessings & healthy recovery" is our mission!

Willson Medical Systems Pvt. Ltd. (WMSPL), established in 2011, is focusing on the Healthcare Industry for more than 20 years. WMSPL has accumulated rich experience and developed a set of strict and unique quality management system as a result of which the products have won praises from the global market for their exquisite craftsmanship and reliable quality.

In 2016, WMSPL invested and established a new production base in Eastern India. With an area of more than 50,000 square feet, the total production capacity reaches 100,000 beds per year. WMSPL has invested in CNC Laser Cutting Machines, Metal Mold Processing Equipment, Automatic Robot Welding Production Line, Automatic Powder Coating Line and Finished Product Assembly Line and other large-scale equipment and machinery to realize our own full set of Medical Furniture & Equipment and ensure production quality under our own control.

Innovation has always been the tradition and core competitiveness of WMSPL. By continuously investing in new product research and development and establishing a high-quality foreign research and development team, WMSPL has become a veritable high-tech enterprise. WMSPL has also established a scientific and efficient innovative technology management system, which enables WMSPL to maintain a leading position in the same industry in India and achieve great achievements. WMSPL has the power to compete with most of the National and International brands.

WMSPL brand is a well-known trademark in India. Currently, more than 1,000 Indian hospitals use WMSPL brand products, and the number is increasing day and night. WMSPL products are also exported around the world.


WMSPL takes the experience of its customers as the cornerstone of its evergreen business. From the opening of the company to the present, WMSPL has always maintained an advanced customer relationship belief, and has established the largest and most complete after-sales service system. WMSPL can also provide customers with professional, fast and efficient after-sales service solutions, which enables WMSPL to establish in the Healthcare industry.

We are ISO 9001, ISO 13485, ISO 14001, OHSAS 18001, CE Compliance, CE Notified as per European Standards, BIFMA Certified Company engaged in the business of manufacturing and marketing full range of Medical Furniture and Hospital Equipment.

There is no best, only better!

WMSPL will always adhere to the corporate philosophy of "sincere and trustworthy, efficient, people-oriented, and always enterprising", and will make unremitting efforts to become the world's Premium Healthcare Brand!

Innovative WMSPL, Global WMSPL!



QUALITY CONTROL AND R&D

Development is a continuous process for us. We are an ISO 9001, ISO 13485, ISO 14001, OHSAS 18001, WHO-GMP, BIFMA and CE Notified Company.

FAIR BUSINESS Practices

Strictly follow fair business practices, believes in transparency and ethics. Committed to providing our customers Economical, Cost Effective, High Quality Products and Services in the shortest possible time schedule.

WILLSON *philosophy*

We are inspired by the needs of our customers and the doctors and healthcare providers. This passion combined with Willson world-class engineering transforms the service into best in class product and quality assurance. The energy and enthusiasm in each of us bring everyday to Willson is palpable. We are constantly in the pursuit of better patient care and understand that speed is critical because life cannot wait. There are three fundamental pillars that serve as the foundation for our company.

Experience Excellence **With**
Willson Medical
The Medical Furniture Supplier

Contents

Turnkey Solutions	01	Bed Side Locker	25
Infrastructure	02-03	Emergency Crash Carts	26-27
ICU Beds	04-09	Ward Trolley & Furniture	28-34
Fowler Beds	10-11	Wheel Chairs	35
Semi Fowler Bed	12	Multi Seater Chairs	36
Plain Beds	13	Hollow Ware	37
Attendance Beds	14	General Equipments	38-39
Bed Accessories	15	Neonatal Care Products	40
Patient Transfer Trolley	16-17	LED Surgical Light	41-48
Stretcher on Trolley	18	OT Tables	49-51
Examination / OPD Couch	19-20	Neuro & Ortho Atch.	52
Delivery Beds	21-23	Cubical Curtains	53
Pediatric Bed	24	Track System	54
Over bed Tables	24	Certifications	55



01

Medical Furniture

05

Modular Operation Rooms

02

Medical Gas Pipeline Systems

06

Surgical Tables & Lights

03

Neonatal Care Products

07

Cubicle Curtain System

04

Hanging IV Track System

08

Professional Medical Apparel




WILLSON PRODUCTS

- Hospital Beds
- Patient Transfer Trolley
- Delivery Bed
- Over Bed Tables
- Emergency Crash Carts
- Ward Equipments
- Invalid Wheelchair
- General Equipments
- Neonatal Care Products
- Accessories

Our Infrastructure

Manufacturing Unit



Corporate Office, Noida





Motorised ICU Beds

WM-5176-7FC

ICU Bed Motorised

Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Polymer Molded Head & Foot Boards and Four sectional polymer molded safety side rails with angle indicators provide a soothing look.
- Dual Side Lever for Manual CPR and four Corner PU buffers to absorb impact and reduce damage during handling.
- Provided with Heavy duty telescopic IV Pole with two hooks having provision of fixing on four corners of the bed.
- Provided with Single/Twin wheel heavy duty Central Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- **Overall Dimensions : 2160 mm L X 1020 mm W**
- **Also Available in Diagonal Locking Wheel Option. [WM-5176-7FD](#)**



Major Features



Optional Accessories





WM-5177-5FD

ICU Bed Motorised

Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Polymer Molded Head & Foot Boards and four sectional polymer molded safety side rails with angle indicators provide a soothing look.
- Four Corner PU buffers to absorb impact and reduce damage during handling.
- Provided with Heavy duty telescopic IV Pole with two hooks having provision of fixing on four corners of the bed.
- Provided with Single wheel heavy duty diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- **Overall Dimensions: 2160 mm L X 1020 mm W**
- "Also Available with central locking wheels. [WM-5177-5FC](#)



Major Features



Optional Accessories



Motorised ICU Beds

WM-5178-3FD


ICU Bed 3 Function Electrical

Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Polymer Molded Head & Foot Boards and four sectional polymer molded safety side rails with angle indicators provide a soothing look.
- Four Corner PU buffers to absorb impact and reduce damage during handling.
- Provided with Heavy duty telescopic IV Pole with two hooks having provision of fixing on four corners of the bed.
- Provided with Single wheel heavy duty Diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- **Overall Dimensions: 2160 mm L X 1020 mm W**



Major Features



Hi-Lo adjustable
460-750mm \pm 10mm

Back-rest
0° to 75° \pm 2°

Knee-rest
0° to 35° \pm 2°

Optional Accessories



X-Ray Permissible backrest
with cassette holder

Oxygen Cylinder
Cage

Moulded Craft
Holder



WM-5178-SM

ICU Bed Motorised

Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Polymer Molded Head & Foot Boards and four sectional polymer molded safety side rails with angle indicators provide a soothing look.
- Dual Side Lever for Manual CPR and four Corner PU buffers to absorb impact and reduce damage during handling.
- Provided with Heavy duty telescopic IV Pole with two hooks having provision of fixing on four corners of the bed.
- Provided with Single wheel heavy duty Diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- **Overall Dimensions: 2160 mm L X 1020 mm W**




Major Features



Electrical

Mechanical

Optional Accessories



Mechanical ICU Beds

WM-5180

ICU Bed Mechanical

Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Polymer Molded Head & Foot Boards and four sectional polymer molded safety side rails with angle indicators provide a soothing look.
- Major Features include are maneuverable by smooth crank mechanism with separate folding SS Handles.
- Four Corner PU buffers to absorb impact and reduce damage during handling.
- Provided with Heavy duty telescopic IV Pole with two hooks having provision of fixing on four corners of the bed.
- Provided with Single wheel heavy duty Diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- **Overall Dimensions : 2160 mm LX 1020 mm W**



Major Features



Optional Accessories





WM-5181

ICU Bed Mechanical

Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Stainless Steel Wooden Laminated head and foot bows provide a soothing look.
- Provided Collapsible Safety Side Rails.
- Major Features are maneuverable by smooth crank mechanism with separate folding SS Handles.
- Provided with Corner PU buffers to absorb impact and reduce damage during handling.
- Provided with Heavy duty IV Pole having provision of fixing on four locations.
- Provided with Single wheel heavy duty Diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- **Overall Dimensions: 2100 mm L X 1020 mm W**



WM-5182

ICU Bed Mechanical

Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Stainless Steel Wooden Laminated head and foot bows provide a soothing look.
- Provided Collapsible Safety Side Rails.
- Major Features are maneuverable by smooth crank mechanism with separate folding SS Handles.
- Provided with Corner PU buffers to absorb impact and reduce damage during handling.
- Provided with Heavy duty IV Pole having provision of fixing on four locations.
- Provided with Single wheel heavy duty Diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- **Overall Dimensions: 2100 mm L X 1020 mm W**



Major Features



Optional Accessories



Fowler Beds

WM-5184

Mechanical Fowler Bed



WM-5185




Motorised Fowler Bed (ABS Panel)



Common Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Polymer Molded head and foot bows provide a soothing look.
- Provided with four sectional polymer molded safety side rails with angle indicators.
- Major Features are maneuverable by smooth crank mechanism with separate folding SS Handles.
- Provided with Single wheel heavy duty Diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- Frame Size: 2060 mm L x 900 mm W X 600mm H

Major Features



Optional Accessories



WM-5186

Fowler Bed (ABS Panel)



WM-5187

Fowler Bed (Wooden Panel)

WM-5188


Fowler Bed (General Panel)



Common Features and Benefits

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable head and foot bows provide a soothing look.
- Major Features are maneuverable by smooth crank mechanism with separate folding SS Handles.
- Provided with Single wheel heavy duty Diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and Epoxy powder coated.
- Frame Size: 2060 mm L x 900 mm W x 600 mm H

Major Features



Optional Accessories

Semi Fowler Beds

WM-5193

Semi Fowler Bed (ABS Panel)



*Also Available In Fully Motorized Version: [WM-5194](#)



WM-5195

Semi Fowler Bed (Wooden Panel)

WM-5196



Semi Fowler Bed (General Panel)



Common Features and Benefits

- Mattress area divided into 2 sections made up of CRCA Sheet.
- Detachable head and foot bows provide a soothing look.
- Major Features are maneuverable by smooth crank mechanism with separate folding SS Handles.
- The complete metal components are Pretreated and Epoxy powder coated.
- Frame Size: 2030 mm L x 900 mm W x 600 mm H

Major Features Optional Accessories





WM-5200

Plain Ward Bed
(ABS Panel)



WM-5201

Plain Ward Bed
(Wooden Panel)

WM-5202


Plain Ward Bed
(General Panel)

Common Features and Benefits

- Frame made of rectangular CRCA pipes.
- Frame is mounted on PVC stumps.
- Fixed mattress top of 50 mm thickness.
- The complete metal components are pretreated and epoxy powder coated.
- Frame size: 1870 LX 600 WX 450H



Optional Accessories



Attendant Beds

WM-5203

Attendant Bed

Features and Benefits

- Frame made of rectangular CRCA pipes.
- Frame is mounted on PVC stumps.
- Fixed mattress top of 50 mm thickness.
- The complete metal components are pretreated and epoxy powder coated.
- Frame size: 1800 L X 600 W X 450H



*Also Available In Complete Stainless Steel : [WM-5203-SS](#)

WM-5203-P

Attendant Bed With Storage Cabinet

Features and Benefits

- Frame is made up of CRCA tubes and Sheets mounted on PVC stumps.
- Padded with good quality removable mattress of 50 mm thickness.
- Provided with storage space underneath the mattress area.
- Provided with dual side opening facility.
- Metal body is pretreated and epoxy powder coated.
- **Overall Dimension: 1800 mm L X 600 mm W X 450mm H (without Mattress).**



Bed Accessories

Polymer Moulded Head & Food Board



Code : WM-401



Code : WM-402



Code : WM-403

Polymer Moulded Side Railing



Code : WM-501



Code : WM-502



Code : WM-503



A. Single Mattress
for Plain Beds-WM-101



B. Two Fold Mattress
for Semi-Fowler Beds-WM-102



C. Four Fold Mattress for
I.C.U./Fowler Beds-WM-103



D. Anti-Decubitus
Mattress-WM-104



X-Ray
Permeable
Back Rest



Telescopic
Adjustable
I.V. Rod-WM-601

Lifting Pole
WM-301

Patient Transfer Trolley

WM-5204


Emergency Recovery Trolley Hydraulic

Features and Benefits

- Frame structure is made of CRCA Tubes.
- Provided with Two section top with removable X-ray permeable stretcher with dimensions 1830 mm L X 560 mm W.
- Gas spring assisted Trendelenburg & Reverse Trendelenburg positions.
- Height adjustment by foot operated high-quality hydraulic pump.
- Provided with backrest on ratchet.
- Provided with Buffers at four corners
- Provided with Four 125 mm (5") diameter high grade synthetic body castors with, two with brakes and two without brakes
- Provided with Synthetic rubber covered push-pull handle on either side.
- Provided with Sliding X-Ray cassette holder throughout the length of the trolley.
- Stainless steel telescopic IIV pole along with provision at four positions
- The complete metal components are pretreated and epoxy powder coated.
- Provided with Swing -away type stainless steel side rails
- Provided with Oxygen cylinder holder and SS IV stand.
- **Overall Dimensions: 2100 mm L X 600 mm W**



Major Features



Hi-Lo adjustable
650-920mm \pm 10mm

Back-rest
0° to 65° \pm 2°

Trendelenburg
 \pm 15°

Anti-Trendelenburg
 \pm 15°



WM-5205


Emergency Recovery Trolley Mechanical

Features and Benefits

- Frame structure is made of CRCA Tubes.
- Provided with Two section top with removable X-ray permeable stretcher with dimensions 1830 mm L X 560 mm W
- Height adjustment, Trendelenburg & Reverse Trendelenburg positions can be achieved by linear crank mechanism at the foot end.
- Provided with backrest on ratchet.
- Provided with Buffers at four corners
- Provided with Four 125 mm (5") diameter high grade synthetic body castors with, two with brakes and two without brakes
- Provided with Synthetic rubber covered push-pull handle on either side.
- Provided with Sliding X-Ray cassette holder throughout the length of the trolley.
- Stainless steel telescopic I V pole along with provision at four positions
- The complete metal components are pretreated and epoxy powder coated.
- Provided with Swing -away type stainless steel side rails
- Provided with Oxygen cylinder holder and SS IV stand.
- **Overall Dimensions: 2100 L X 600 W**



Major Features



Stretcher On Trolley

WM-5206

Stretcher Trolley Premium

Features and Benefits

- Frame structure is made of CRCA Tubes
- Mild steel tubular framework mounted on four swivel Heavy Duty castors, 150 mm (6") diameter two with brakes & two without brakes
- Removable stretcher top in two sections made of pre-laminated board supported on tubular frame
- Provided with Backrest on ratchet
- Provided with SS Swing Down type Safety side rails
- Oxygen cylinder cage & M.S. storage tray
- Stainless steel IV Pole with provision on diagonal sides
- Pre-treated and powder coated finish
- Overall Dimension (Approx.): 2100 L X 560 W X 810 H (mm)
- Provided with Fixed Cushion of thickness 50 mm.

**** Also available in Complete Stainless Steel: WM-5206-SS**




WM-5207

Stretcher Trolley Supreme

Features and Benefits

- Frame Structure is made of CRCA Tubes and Sheets.
- Trolley mounted on 125 mm Castor Wheel with Diagonally Locking Mechanism.
- Provided with IV Pole.
- Provided with Polymer Molded Swing Down Type Safety Side Railings which provides aesthetic Looks.
- **Overall Dimensions: 2150 mm LX 810 mm W**
- All metal Part is Pretreated and Epoxy Powder Coated.
- **Provided with Mattress of two section of suitable dimension**

Major Features



WM-5208

Stretcher Trolley Standard

Features and Benefits

- Frame structure is made of CRCA Tubes
- Mild steel tubular framework mounted on four swivel Heavy Duty castors, 150 mm (6") diameter two with brakes & two without brakes
- Removable stretcher top made of CRCA Sheet.
- Pre-treated and powder coated finish
- **Overall Dimension (Approx.): 2100 L X 560 W X 810 H (mm)**
- **Note: Optional mattress**

**** Also available in Complete Stainless Steel: WM-5208-SS**





WM-5243

Examination Couch Standard

Features and Benefits

- Made of CRCA sheets.
- Back rest adjustable with pneumatic pump.
- Padded with foam top in high quality washable Rexene.
- Provided with three drawers and three utility cabinet.
- Provided with foldable BP apparatus tray on the side.
- Provided with inbuilt foot step.
- Provision of saline stand.
- The complete metal component is pretreated and epoxy powder coated.

Overall Dimensions : 1870 (L) X 560 (W) X 810 (H) mm



WM-5243-G

Examination Couch Gynae

Features and Benefits

- Made of CRCA sheets.
- Back rest adjustable with pneumatic pump.
- Padded with foam top in high quality washable Rexene.
- Provided with three drawers and three utility cabinet.
- Provided with foldable BP apparatus tray on the side.
- Provided with a Perineal Cut and Lithotomy Rods with Padded Knee Crutches.
- The complete metal component is pretreated and epoxy powder coated.

Overall Dimensions : 1870 mm (L) X 560 mm (W) X 810 mm (H)



Examination / OPD Couch

WM-5601



Overall Dimension : 1830mm X 610mm X 810mm

WM-5602



Overall Dimension : 1830mm X 610mm X 810mm

WM-5603



Overall Dimension : 1830mm X 610mm X 810mm

WM-5604



Overall Dimension : 1830mm X 610mm X 810mm

WM-5605



Overall Dimension : 1830mm X 610mm X 810mm

WM-5606



Overall Dimension : 1830mm X 610mm X 810mm



WM-5249

Labour Table **Fix**

Features and Benefits

- Three sections top made up of SS.
- Leg section sliding completely under the main section.
- Base frame made up of CRCA tubes.
- Trendelenburg's position achieved by pneumatic pump.
- Back rest adjustable with ratchet mechanism.
- Lithotomy crutches/Lithotomy rods with straps.
- Provided with suitable mattress.
- The complete metal components are pretreated and epoxy powder coated.
- **Overall Dimension :1830 L X 680 W X 760 H mm.**



"Also Available in Complete Stainless Steel. [WM-5249-SS](#)

WM-5250

Labour Table **Height Adjustable**

Features and Benefits

- Frame made of CRCA pipes/sheets with adjustable perineal cut.
- Three sectional tops made of Stainless Steel fixed on trolley base mounted on 125 mm castors
- Leg section sliding completely under the main section.
- Trendelenburg's position can be achieved by using pneumatic pump.
- Waste collection tray is positioned below the perineal cut.
- Back rest adjustable with ratchet mechanism.
- Height can be adjusted by hydraulic pump.
- Hand grips.
- Lithotomy crutches and mattress
- The complete metal component is pretreated and epoxy powder coated.
- **Overall Dimension : 1830 L X 680 W**
- **Minimum 600 to 800 Maximum Height**



"Also Available in Complete Stainless Steel. [WM-5250-SS](#)

Delivery Bed

WM-5254

LDR Bed / Motorised

Features and Benefits

- Mattress area divided into 3 sections made up of CRCA sheet.
- Detachable polymer molded head and foot bows provide a soothing look.
- Provided with polymer molded safety side rails.
- Corner PU buffers absorb impact and reduce damage in handling.
- Provided with heavy duty saline stand with provision for fixing it at all four locations.
- Castors of 125mm dia. With Diagonal locking mechanism for mobility with control.
- Back rest, Trendelenburg / Reverse Trendelenburg, High-low, position maneuverable by separate actuator operated by patient control.
- **Overall Dimensions : Frame Size-2130L X 1050W (when fully extended)**
- **Frame size (Approx.): 1520 L X 940W (when leg section under the middle section)**
- **Mattress Platform Dimension: 1930 mm L X 760 mm W**
- The complete metal components are Pretreated and Epoxy Powder Coated.
- Provided with High Density three section mattress of suitable dimension.
- **Accessories: one collection tray, one set of lithotomy rod and crutches, one heavy duty IV pole, one set of hand grip.**



Major Features





WM-5255


LDR Bed Hydraulic

Features and Benefits

- Mattress area divided into 3 sections made up of CRCA sheet.
- Detachable polymer molded head and foot bows provide a soothing look.
- Provided with polymer molded safety side rails.
- Corner PU buffers absorb impact and reduce damage in handling.
- Provided with heavy duty saline stand with provision for fixing it at all four locations.
- Castors of 125 mm dia. With Diagonal locking mechanism for mobility with control.
- Back rest, Trendelenburg / Reverse Trendelenburg positions maneuverable by separate Crank Mechanism.
- Height can be adjusted with Heavy Duty Hydraulic Pump.
- **Overall Dimensions : Frame Size -1950 mm L X 1040 mm W (when fully extended)**
- **Frame size (Approx.): 1420 mm L X 950 mm W (when leg section under the middle section)**
- **Mattress Platform Size: 1880 mm L X 660 mm W**
- The complete metal components are Pretreated and Epoxy Powder Coated.
- Provided with High Density three section mattress of suitable dimension.
- **Accessories: one collection tray, one set of Lithotomy Rod and Crutches, one heavy duty IV pole, one set of hand grip.**



Major Features



Padiatric Bed

WM-5197

Pediatric Bed (with Side Railings)

Suitable size mattress of
thickness 50mm will be provided



Over Bed Tables

WM-5225-D



Overall Dimensions :
760mm L X 400mm W X 760mm-1050mm H

WM-5225-S



Overall Dimensions :
760mm L X 400mm W X 760mm-1050mm H

WM-5226

Also Available In Stainless Steel Structure [WM-5226-SS](#)



Bed Side Locker



WM-5222

Deluxe
Locker



Overall Dimension : 405mm L X 405mm W X 810mm H.
**Also available in Complete Stainless-Steel [WM-5222-SS](#).

WM-5223

General
Locker



Overall Dimension : 405mm L X 405mm W X 810mm H.
**Also available in Complete Stainless-Steel [WM-5223-SS](#)

WM-5224

Locker
(Membrane)



Overall Dimension : 405mm L X 405mm W X 810mm H.

WM-5401

ABS Locker



Overall Dimension : 405mm L X 405mm W X 810mm H.

WM-5402

Ultra
Locker



Overall Dimension : 450mm L X 450mm W X 750mm H.

WM-5403

Ultra
Locker (S.S.)



Overall Dimension : 405mm L X 405mm W X 810mm H.

Emergency Crash Carts

WM-5248-SS

Crash Cart

Features and Benefits

- Framework is made up of Stainless-Steel tubes.
- Provided with two polystyrene boxes each with three lockable drawers.
- Provided with M.S oxygen cylinder holder.
- Six color removable bins.
- Provided with three S.S Shelves.
- Provided with S.S IV rod, 125 mm Corner buffer and Cardiac massage board.
- The cart is mounted on 125 mm dia castors with diagonal brakes.
- All metal component is pretreated and Epoxy Powder Coated.
- **Overall Dimensions : 960 mm L X 490 mm W X 1545 mm H.**



WM-5248-MS

Crash Cart

Features and Benefits

- Framework is made up of CRCA tubes.
- Provided with two polystyrene boxes each with three lockable drawers.
- Provided with M.S oxygen cylinder holder.
- Six color removable bins.
- Provided with three S.S Shelves.
- Provided with S.S IV rod, 125 mm Corner buffer and Cardiac massage board.
- The cart is mounted on 125 mm dia castors with diagonal brakes.
- All metal component is pretreated and Epoxy Powder Coated.
- **Overall Dimensions : 960 mm L X 490 mm W X 1545 mm H.**



WM-5701

Drug Trolley

Features and Benefits

- Framework is made up of CRCA tubes.
- Provided with Four Polystyrene Boxes each with three lockable drawers.
- Provided with Push Handle one side.
- Provided with S.S Shelve with raised edges.
- Provided with 125 mm Corner buffer.
- The cart is mounted on 125 mm dia castors with diagonal brakes.
- **All metal component is pretreated and Epoxy Powder Coated.**
- Approx. Dimension: 770 mm LX 380 mm W X 1010 mm H.



WM-5702

Resuscitation Trolley

Features and Benefits

- Framework is made up of CRCA tubes and Sheets.
- Provided with six drawers of different sizes.
- Provided with PVC Drug Holders in the first two drawers.
- Provided with two rows of PVC containers at the top of the Cart.
- Provided with Push Handle one side.
- Provided with S.S Shelve with raised edges.
- Provided with Corner buffer.
- The cart is mounted on 125 mm dia twin wheel castors with diagonal brakes.
- All metal component is pretreated and Epoxy Powder Coated.
- Approx. Dimension: 900 mm LX 580 mm W X 1750 mm H.
- Accessories: Defibrillator Stand, Oxygen Cylinder, IV Rod, 2 Thrash Bins and Cardiac Massage board.



Ward Trolley

WM-5212

Medicine Trolley



Overall Dimension : 760 mm L X 460 mm W X 900 mm H.
** Also available in Complete Stainless-Steel [WM-5212-SS](#)

WM-5213

Dressing Trolley



Overall Dimension : 1010 mm L X 460 mm W X 810 mm H.

Instrument Trolley



Overall Dimensions :
(A) 600 mm (24") L X 460 mm (18") W X 900 mm (32") H: [WM-5211-S](#)
(B) 760 mm (30") L X 460 mm (18") W X 900 mm (32") H: [WM-5211-M](#)
(C) 910 mm (36") L X 460 mm (18") W X 900 mm (32") H: [WM-5211-L](#)

WM-5216

Monitor Trolley



Overall Dimension : 680mm L X 610mm W X 1500mm H
** Also available in Complete Stainless-Steel [MS-5216-SS](#).

Ward Furniture

WM-BDC-1

Blood Donor Chair Supreme



WM-5215

Instrument Cabinet



Overall Dimension: 58"-H X 24"-W X 14"-D

Ward Trolley

WM-ECG Trolley



Overall Dimensions : Top shelves - 485mm(L) x 430mm (W).

Fresh & Soiled

Linen Trolley



Overall Dimensions : 1240 X 480 X 870mm ht / 48" X 18" X 34"
100mm /4" Non Rusting, Non Marking Castors.

Ward Furniture

WM-5209

Mayo's Trolley



** Also available in Complete Stainless-Steel [WM-5209-SS](#)

WM-5210

Mayo's Trolley Double Stand



** Also available in Complete Stainless-Steel [WM-5210-SS](#)

IV Poles & Cylinder Trolley



WM-5235 SS



WM-5235-SP



WM-5235 MS



WM-5214-S/B



WM-5235-SS

Wash Basin-Double

◀ Also available in MS frame ▶



WM-5236 SS



WM-5237-MS

Wash Basin-Single

Dimension: 350mm dia X 850mm H.

◀ Also available in MS frame ▶



WM-5237-SS

WM-5234

Kick Bucket / Bowl

Overall Dimensions : 350mm dia X 850mm H.

Also available in S.S. frame



Ward Furniture

WM-5228

Foot Step **Single**



Overall Dimensions : 18" L X 9"W X 9"H.

WM-5228-SS

Foot Step **Single**



Overall Dimensions : 18" L X 9"W X 9"H.

WM-5229

Foot Step **Double**



Overall Dimensions : 18" L X 18"W X 18"H.

WM-5229-SS

Foot Step **Double**



Overall Dimensions : 18" L X 18"W X 18"H.

WM-5218-SS

Soiled Linen Trolley
(**Canvas Bag**)



**Also available in Complete MS. [WM-5218](#)

WM-5219

Soiled Linen Trolley
(**Plastic Bucket**)



**Also available in Complete SS-[WM-5219](#)



WM-5232

Surgeon's Stool
General



Height Adjustment: 460mm to 590mm

WM-5232-DLX

Surgeon's Stool



Height Adjustment: 460mm to 590mm

WM-5231

Patient Stool
(Revolving)



Height Adjustment: 510mm to 700mm

WM-5231-SS

Patient Stool
Revolving (Cushioned)



Height Adjustment: 510mm to 700mm

WM-5231-C

Patient Stool
Revolving (Cushioned)



Height Adjustment: 510mm to 700mm

WM-5231-SS-C

Patient Stool
Revolving



Height Adjustment: 510mm to 700mm

WM-5230

Visitor Stool



WM-5230-SS Top

Visitor Stool



WM-5230-SS

Visitor Stool



Ward Equipments

WM-5227-4F

Bedside Screen
(With Curtains)



Overall Dimension : (when fully extended): 66" H X 96" L.
**Also available in Complete Stainless Steel-[WM-5227-4F-SS](#)

WM-5227-3F

Bedside Screen
(3 Folds With Curtains)



Overall Dimension : (when fully extended): 66" H X 96" L.
**Also available in Complete Stainless-Steel-[WM-5227-3F-SS](#)

Bio Medical Waste Bin Trolley



WM-5502

Overall Dimension:

- For 4 Bins Trolley : 1710mm L X 320mm W X 700mm H
- For 3 Bins Trolley : 1330mm L X 320mm W X 700mm H
- Available in Yellow, Red, Green, Blue and Black Color options

•**Also available in Complete Stainless Steel.

- [WM-5503-3 Colors](#)
- [WM-5504-4 Colors](#)



WM-5501



WM-5220-Folding



WM-5220-MS

Overall Dimension: 38" H X 25" W X 36" D

WM-5221-SS

Overall Dimension: 38" H X 25" W X 36" D



Multi Seater Chair



WM-5233-3S

Overall Dimension :

Three Seater - 1750mm (l) X 680mm (w) X 780mm (h)



WM-5233-2S

Overall Dimension :

Double Seater - 1180mm (l) X 680mm (w) X 780mm (h)



WM-5233

Overall Dimension :

Single Seater - 610mm (l) X 680mm (w) X 780mm (h)

Also available : Four Seater - 2320mm (l) x 680mm (w) x 780mm (h)
Complete range is also available in stainless steel & cushion optional

Hollow Ware

WM-5265

Dressing Drums

Available Size:
6"x4", 6"x6", 9"x5",
9"x9", 11"x9", 14"x9", 15"x12"



WM-6503

Dustbin

12 Ltr. capacity



WM-5275

Catheter Tray

Available Size: 8"x3", 16"x4"



WM-5275

Instrument Tray

Available Size: 8"x6", 9"x6", 10"x8", 12"x8", 15"x12", 18"x12"



WM-5131

Bedpan (Male)



WM-5132

Bedpan (Female)



WM-5133

Urinal (Male)



WM-5134

Urinal (Female)



WM-5274

Kidney Tray

Available Size: 6", 8", 10", 12"



General Equipments

WM-5266

Vertical High Pressure Steam Sterilizer

(A) Dia 300 Depth 500 Element 2Nos. Load 2Kw
Total Load 4 Kw [WM-5201](#)

(B) Dia 400 Depth 600 Element 2Nos. Load 3Kw
Total Load 6 Kw [WM-5202](#)

Optional Accessories:

- (1) Automatic low water level cut-off device
- (2) Pressure control switch
- (3) Dressing bins



Suction Machine

1/2 H.P. : WM-5277

1/4 H.P. : WM-5276



Scrub Station

Manufactured with heavy gauge stain
finish sheets for durability.

Available size:

- Single station : 90L X 54W X 84H cm (Approx) [WM-5217](#)
- Double station : 145L X 54W X 84H cm (Approx) [WM-5217-2T](#)
- Triple station : 195L X 54W X 84H cm (Approx) [WM-5217-3T](#)



(Available In Both Manual & Sensor Operating)

WM-6105

Ambulance Stretcher

Features and Benefits

- Light weight, strong structure, easy antiseptis, small size, convenient to use.
- Utilizes high precision mechanical transmission. Can be used automatically folded through the left and right hand control handle. Made of high quality aluminium alloy tubes.
- **Overall Dimensions : A - High position: 1,900 x 560 x 900 mm**
- **Overall Dimensions : B - Low position: 1,900 x 560 x 280 mm**
- Load weight : upto 120 Kg
- Product weight : upto 40 Kg
- Diameter of the castors : 125 mm
- Applicable for various kind of hospitals, emergency centers, ambulances and battle fields.



Folding Stretcher

- Unfolded size 2100Lx 530Wx 120H mm
- A. Single Fold WM-6101
- B. Two Fold WM-6102
- C. Four Fold WM-6103



WM-6106

Spine Board

Product Size : 1820 x 420 mm



WM-6104

Scope Stretcher



WM-5236

Baby Cradle



Neonatal Care Products

Infant's Radiant Heat Warmer



WMRW-200

Infant's Radiant Heat Warmer



WMRW-200-C

Infant's Radiant Heat Warmer

WMPT-LE600Z

LED Photo Therapy (Bed Under Surface)



WMPT-LE600Q

LED Photo Therapy (Over Head Unit)





LED Surgical Lights

Endo Mode

To meet the requirement of low ambient illumination




PERFECT SHADOW FREE ILLUMINANCE EFFECT

Thanks to large amount of led lights and multiple Emitting positions of led light sources any obstructions With surgeon's shoulder or hands will not affect the Surgical wound area with any cast shadows

Maximum Economy & Highest Reliability

Its technological advances make it a good long term investment due to low maintenance and operating running cost. With various light head configurations, it maximizes the comfort of the surgeon and forbids the tissue dehydration even during long time operations.

- The minimal life expectancy of each LED is 50,000 hours
- Sophisticated LED thermal management keeps the temperature-rise of the space above surgeon's head and surgical region extremely low.



LED Surgical Lights

Pearl Series

WM-5261-DRD160L



WM-5261-SRD80L



Technical Data

Intensity	160000 LUX / Dome
Spot Diameter	100-150mm
Depth Illumination.	10-15cm
Depth Temp.	3800-5200k
Colour Temp.	91 Ra
Colour Rendering Index	Manual
Focusing	>50000 Hrs.
Led Average Life	80 x 2
Dimension	10-100 Digital
Power Supply	220V / 50 Hz Ac
Power	130 Watt X 2
Special Function	Memory Function



Sapphire Series

WM-5262-DRD108L



WM-5262-SRD54L



Technical Data	
Intensity	1,60,000 LUX / Dome
Shadowless Feature	Yes
Numbers of LEDs	54 (Warm + Cool White)
Intensity Control	10-100 Digital Capacitive Touch (Fully Remote Controlled)
Fitting Options Available	Ceiling, Wall, Mobile Stand Mounted
Spot Diameter	100-150 mm
Depth of Light Penetration	150 mm
Colour Temperature	3800 - 4800K
Colour Rendering Index	93 Ra
Focusing Preset	at 1 Metre
LED Average life	>50,000 Hrs.
Diameter of Light	700 mm
Power Supply	220V/50HZ AC
Power Consumption	80 Watt
Optional Special Features	Mobile App Connectivity, External Wall Panel, Battery Backup

LED Surgical Lights



WM-VENUS-6+6



WM-VENUS-6+5



WM-VENUS-6+4



WM-VENUS-6+3



WM-VENUS-5+5



WM-VENUS-5+4

LED Surgical Lights



WM-VENUS-5+3



WM-VENUS-4+4



WM-VENUS-4+3



WM-VENUS-3+3

Examination Lights



WM-5267-M

Examination Light With
Magnifying Glass (LUX 50000)



WM-5267-A

Examination Light
Adjustable Illumination (LUX 40000)



WM-5267-F

Examination Light
Fixed Illumination (LUX 25000)

LED Surgical Lights

Model	No. of Model	Light Intensity (in LUX)	Size of Light Field	Colour Temperature	CRI	LED Life	No. of LED	Light Diameter
WM-VENUS-3	SINGLE	1,00,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	63	600 X 2
WM-VENUS-4	SINGLE	1,20,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	84	600 X 2
WM-VENUS-5	SINGLE	1,40,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	105	600 X 2
WM-VENUS-6	SINGLE	1,60,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	120	600 X 2
WM-VENUS-6+3	DOUBLE	160,000+100,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	120+63	600 X 2
WM-VENUS-6+4	DOUBLE	160,000+120,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	120+48	600 X 2
WM-VENUS-6+5	DOUBLE	160,000+140,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	120+105	600 X 2
WM-VENUS-6+6	DOUBLE	160,000+160,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	120+120	600 X 2
WM-VENUS-5+3	DOUBLE	140,000+100,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	105+63	600 X 2
WM-VENUS-5+4	DOUBLE	140,000+120,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	105+84	600 X 2
WM-VENUS-5+5	DOUBLE	140,000+140,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	105+105	600 X 2
WM-VENUS-4+3	DOUBLE	120,000+100,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	84+63	600 X 2
WM-VENUS-4+4	DOUBLE	120,000+120,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	84+84	600 X 2
WM-VENUS-3+3	DOUBLE	100,000+100,000	12-30 CM	4000-5000K	93 RA	>50,000 HRS	63+63	600 X 2

All lights have power supply of 220v / 50hz

Capacitive touch panel will be provided for brightness control

Battery back up is optional for all lights Single dome lights can be provided with mobile stands for the movement of the equipment

WM-5300

Electro Mechanical OT Table



Technical Data







Length of Table	1900 mm
Width of Table Top	520 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	Max. 1000mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	±20°
Back Section	±20°
Head Section	±60°
Leg Section	0°-90°
Top Sliding	5" Reverses & 5" Forward

Salient Features

- Encentric Pillars
- Stainless Fitting
- Detachable, head, leg & Pelvic section
- Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean Stainless Steel
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.
- Stand by Battery Back-up with recharging circuit **(Optional)**

Measurements

Standard Dimension (mm)



WM-5301

Sliding Top Five Function
Electrical OT Table with Dual Remote



WM-5302

OT Table Electric 4 Function
(C-Arm Compatible)



WM-5303

OT Table Hydraulic
(C-Arm Compatible)



WM-5305

Universal OT Table
(Non-C-Arm Compatible)



Neuro & Ortho Attachment

WM-5306

Neuro Attachment



WM-5308

Ortho Attachment





Willson Medical System Pvt. Ltd. provides an easy to install and cost-effective partitioning method in multi-bed hospital wards, which helps to offer some privacy to patients and staff. They can also be used as screening in retail/leisure changing rooms and shower areas. Our tracks are totally rigid structure with the flexibility of configuration to meet individual requirements. It has been used in hospitals, medical colleges and health centres. The system has been upgraded to bring additional benefits to end users, maintenance teams and installers, whilst still conforming to HTM 66, 2005. The overall durability has been improved in order to reduce ongoing maintenance costs and a number of components have been re-designed to make them faster and simpler to install and operate. Cubical Curtains are factory made and constructed from different woven fabrics stitched together. The top portion of open mesh of the curtain is required by the National Fire Protection Association (NEPA). The lower portion of the cubicle curtain is opaque to ensure Patient Privacy.

Key Features

- **Anti-microbial, anti-fungal and anti- odour property**
- **Helps in avoiding secondary infections**
- **High wash durability**
- **Rigid and durable**
- **Glides run smoothly and quietly**
- **Runner access points enable curtains to be changed easily**
- **Metal components are powder coated to provide an aesthetic and easy to clean finish.**











Track System

Hanging IV Track Systems

It is becoming increasingly important that the area around a hospital bed should be as uncluttered as possible. It is now accepted that the patient's quality of life can have a direct bearing on recovery time, and the perceived intrusiveness of medical equipment may be a contributory factor. The benefit of Hanging IV Track System is not only that drip bags and equipment are taken off the floor, but they are suspended from an overhead track. IV provision can be kept discreetly aside without taking up valuable floor space, yet it is always available to be moved into position when required. The track is a very strong and rigid aluminium extrusion with a white powder-coated finish. It is usually fixed directly to the ceiling.

- Heavy duty ceiling mounted track in white powder coated aluminium.
- Heavy duty self-locking wheeled trolleys.
- Five-point telescopic carrier trees.







Corporate Office & Showroom:

Shadbhavna Market, Village Garhi, Chaukhandi,

Sector - 121, Noida - 201301 (U.P.)

(Opposite to Cleo County Society Gate No.-3)

E-mail : sales@willson.in, gm@willson.in

Web. : www.willson.in

Regd. & Mfg Office: Plot No-1, C-19 Part, Industries Area, Fatuha, Patna, Bihar-803201